

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mark Richards**

Telephone: 01723 362022  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 176

Position:  
 Address: 90 Hackness Road  
 Town: Nerby  
 Postcode: YO12 5SG

**RESPONSE**

Date of Completion:  Information Sent? 101  
 Date Returned:  Internal reports 176  
 Flooding?  Press cuttings  
 Flooding from the sea  Duration of flooding  
 Buildings/houses flooded  Photographs  
 Camp sites flooded  Estimated or measured flood levels  
 Roads closed by flooding  Number of properties/persons affected  
 River over-topping its banks  Correspondence with members of the public  
 Blockage of debris/other structures during flood  Videos  
 Overflowing storm drains  Eye witness account  
 Sewer overflow

Other Flooding: Other Records:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

regular event

Incident Number: 1  Source - River  
 Date of Incident 2: 1988-2002  Source - Sea  
 Area Affected: 4 Lane Ends  Source - Rain  
 Source - Sewer  
 No of Properties: several  
 Length of Time: 1 day Frequency: couple of times per yea  
 Location: where water crosses H Flooding Depth: 0.3  
 Incident Ref: 101  
 Response Ref: 101

## QUESTIONNAIRE RESPONSES:- Newby

(1 Contact Per Page)

### INCIDENT

Incident Number: 2  Source - River  
Date of Incident 2: 2002  Source - Sea  
Area Affected: Newby side of Scalby Bridge  Source - Rain  
 Source - Sewer  
No of Properties: road only  
Length of Time: 1 day Frequency: once  
Location: Flooding Depth: 0.3m  
Incident Ref: 102  
Response Ref: 101

### INCIDENT

Incident Number: 3  Source - River  
Date of Incident 2: 1988-2003  Source - Sea  
Area Affected: scalby side of bridge  Source - Rain  
 Source - Sewer  
No of Properties: road and bungalows  
Length of Time: Frequency: regularly  
Location: scalby side of bridge Flooding Depth: 0.6m  
Incident Ref: 103  
Response Ref: 101

Police/Emergency services  
must be aware as flood signs  
are put up

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Miss E Norman**

Telephone: 01723 351855  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 177

Position:  
 Address: 82 Hackness Road  
 Town: Newby  
 Postcode: YO12 5SG

**RESPONSE**

Date of Completion:  Information Sent? 102  
 Date Returned:  Internal reports 177  
 Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account  
 Other Flooding:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number:  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: Bottom of garden  Source - Rain  
 Source - Sewer  
 No of Properties: 1  
 Length of Time: 0.5-1 day Frequency: following heavy rain  
 Location: Flooding Depth: 0.06m  
 Incident Ref: 104  
 Response Ref: 102

bungalow on higher ground so only garden floods



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs S Vasey**

Telephone: 01723 354599  Sent In Error  
 Fax: 01723 501673  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 178

Position:  
 Address: Moorhurst, 80 Hackness Road  
 Town: Newby  
 Postcode: YO12 5SG

**RESPONSE**

Date of Completion:  Information Sent? 103  
 Date Returned:  Internal reports 178  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:

Other Records:  
 To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number: 1  Source - River  
 Date of Incident 2: march 2001  Source - Sea  
 Area Affected: gardens  Source - Rain  
 Source - Sewer

No of Properties: 3  
 Length of Time: Frequency:  
 Location: 80 Hackness Road Flooding Depth: 0.3m  
 Incident Ref: 105  
 Response Ref: 103

flood occurs during a heavy rainfall in a short time

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: 2  Source - River  
Date of Incident 2: nov 2002  Source - Sea  
Area Affected: garden  Source - Rain  
 Source - Sewer  
No of Properties: 3  
Length of Time: 3 Frequency:  
Location: 80 Hackness Road Flooding Depth: 0.3m  
Incident Ref: 106  
Response Ref: 103

**INCIDENT**

Incident Number: 3  Source - River  
Date of Incident 2: Aug 2003  Source - Sea  
Area Affected: garden  Source - Rain  
 Source - Sewer  
No of Properties:  
Length of Time: Frequency:  
Location: 80 Hackness Road Flooding Depth: 03m  
Incident Ref: 107  
Response Ref: 103



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Peter D Richardson**

Telephone: 01723 362928

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 58 Hackness Road

TypeofContact:

 Sent

Town: Newby

Contact Ref: 179

Postcode:

**RESPONSE**

Date of Completion:

 Information Sent?

104

Date Returned:

 Internal reports

179

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: 1

 Source - River

Date of Incident 2:

 Source - Sea

Area Affected: houses 57-59 Hackness Road

 Source - Rain

No of Properties:

 Source - Sewer

Length of Time: approx 1 week

Frequency:

Location:

Flooding Depth:

Incident Ref: 108

Response Ref: 104

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: 2  Source - River  
Date of Incident 2:  Source - Sea  
Area Affected: Hackness Road  Source - Rain  
 Source - Sewer  
No of Properties:  
Length of Time: Frequency: almost every heavy rai  
Location: Flooding Depth:  
Incident Ref: 109  
Response Ref: 104

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

Position:	Telephone:	<input type="checkbox"/> Sent In Error
Address: unknown	Fax:	<input type="checkbox"/> Not Sent
Town:	Email:	<input type="checkbox"/> Reply
Postcode:	DateSent:	<input type="checkbox"/> Re-sent
	TypeofContact:	<input type="checkbox"/> Sent
	Contact Ref: 180	

**RESPONSE**

Date of Completion:	<input type="checkbox"/> Information Sent?	105
Date Returned:	<input type="checkbox"/> Internal reports	180
<input type="checkbox"/> Flooding?	<input type="checkbox"/> Press cuttings	
<input type="checkbox"/> Flooding from the sea	<input type="checkbox"/> Duration of flooding	
<input type="checkbox"/> Buildings/houses flooded	<input type="checkbox"/> Photographs	
<input type="checkbox"/> Camp sites flooded	<input type="checkbox"/> Estimated or measured flood levels	
<input type="checkbox"/> Roads closed by flooding	<input type="checkbox"/> Number of properties/persons affected	
<input type="checkbox"/> River over-topping its banks	<input type="checkbox"/> Correspondence with members of the public	
<input type="checkbox"/> Blockage of debris/other structures during flood	<input type="checkbox"/> Videos	
<input type="checkbox"/> Overflowing storm drains	<input type="checkbox"/> Eye witness account	
<input type="checkbox"/> Sewer overflow		
Other Flooding:	Other Records:	
General Comments:	<input type="checkbox"/> To Be Returned?	<input type="checkbox"/> Follow Up Call Required?
		<input type="checkbox"/> Map Returned?
		<input type="checkbox"/> No Flooding?
		<input type="checkbox"/> Useful Information?

**INCIDENT**

Incident Number:	<input checked="" type="checkbox"/> Source - River
Date of Incident 2:	<input type="checkbox"/> Source - Sea
Area Affected:	<input checked="" type="checkbox"/> Source - Rain
	<input type="checkbox"/> Source - Sewer
No of Properties:	
Length of Time: 4 days	Frequency:
Location: Hackness Road	Flooding Depth:
Incident Ref: 110	
Response Ref: 105	

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mary McLean**

Telephone: 01723 378424

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 27 Gatesgarth Close

TypeofContact:

 Sent

Town: Newby

Contact Ref: 181

Postcode:

**RESPONSE**

Date of Completion:

 Information Sent?

106

Date Returned:

 Internal reports

181

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:-** Newby

(1 Contact Per Page)

**Ms E Wood**

Position:

Address: 10 Gatesgarth Close

Town: Newby

Postcode: YO12 5PA

Telephone: 01723 370358

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 182

Sent In Error

Not Sent

Reply

Re-sent

Sent

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**A Walker**

Position:

Address: 24 Gatesgarth Close

Town: Newby

Postcode: YO12 5PA

Telephone: 01723 375000

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 183

Sent In Error

Not Sent

Reply

Re-sent

Sent

## QUESTIONNAIRE RESPONSES:- Newby

(1 Contact Per Page)

### Mumfolds

Position:

Address: 14 Dalby Close

Town: Scarborough

Postcode: YO12 5HH

Telephone: 01723 362096

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 184

Sent In Error

Not Sent

Reply

Re-sent

Sent

### RESPONSE

Date of Completion:

Date Returned:

Flooding?

Flooding from the sea

Buildings/houses flooded

Camp sites flooded

Roads closed by flooding

River over-topping its banks

Blockage of debris/other structures during flood

Overflowing storm drains

Sewer overflow

Other Flooding:

General Comments:

Information Sent?

107

Internal reports

184

Press cuttings

Duration of flooding

Photographs

Estimated or measured flood levels

Number of properties/persons affected

Correspondence with members of the public

Videos

Eye witness account

Other Records:

To Be Returned?

Follow Up Call Required?

Map Returned?

No Flooding?

Useful Information?



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs Joy Armstrong**

Telephone: 01723 350688  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 185

Position:  
 Address: 6 Glyndale Drive  
 Town: Scarborough  
 Postcode: YO12 5SQ

**RESPONSE**

Date of Completion:  Information Sent? 108  
 Date Returned:  Internal reports 185  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:

Other Records:  
 To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number:  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: Roads and 1 Bungalow  Source - Rain  
 Source - Sewer  
 No of Properties: 1  
 Length of Time: 1 day Frequency:  
 Location: Glyndale Close Flooding Depth: 0.5m  
 Incident Ref: 111  
 Response Ref: 108

Culvert Blocked and heavy rainfall

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: 108

Date of Incident 2:

Area Affected:

No of Properties:

Length of Time:

Location:

Incident Ref: 113

Response Ref: 108

Source - River

Source - Sea

Source - Rain

Source - Sewer

Frequency:

Flooding Depth:

**INCIDENT**

Incident Number:

Date of Incident 2:

Area Affected:

No of Properties:

Length of Time:

Location:

Incident Ref: 116

Response Ref: 108

Source - River

Source - Sea

Source - Rain

Source - Sewer

Frequency:

Flooding Depth:

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Allan & Fiona**

Telephone: 01723 508518  Sent In Error  
 Fax: 01723 508501  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 186

Position:  
 Address: 5 Glyndale  
 Town: Scarborough  
 Postcode: YO12 5SQ

**RESPONSE**

Date of Completion:  Information Sent? 109  
 Date Returned:  Internal reports 186  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number: 109  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: Home  Source - Rain  
 Source - Sewer

No of Properties: 1  
 Length of Time: 1 day Frequency:  
 Location: 5 Glyndale Drive Flooding Depth: 2 to 3 inches  
 Incident Ref: 112  
 Response Ref: 109

almost 10 months before property was habitably again

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs S M Winkfield**

Telephone: 01723 377209

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 4 Glynndale Drive

TypeofContact:

 Sent

Town: Scarborough

Contact Ref: 187

Postcode: Yo12 5SQ

**RESPONSE**

Date of Completion:

 Information Sent?

110

Date Returned:

 Internal reports

187

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: 110

 Source - River

watercourse fills to top then overflows into garden

Date of Incident 2: 28/09/03

 Source - Sea

Area Affected: Scalby Road

 Source - Rain

No of Properties: 3

 Source - Sewer

Length of Time: 30 mins

Frequency: every heavy down pour

Location: 344, 346, 348 Scalby

Flooding Depth: 2 inches

Incident Ref: 114

Response Ref: 110

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr E P Dixon**

Telephone: 01723 369261

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 3 Glynnedale Drive

TypeofContact:

 Sent

Town: Newby

Contact Ref: 188

Postcode: YO12 5SQ

**RESPONSE**

Date of Completion:

 Information Sent?

111

Date Returned:

 Internal reports

188

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: 1

 Source - River

Date of Incident 2: 02/08/02

 Source - Sea

Area Affected: Gardens on 3, 4, 5 Glynnedale Drive, 54 Hackness Road

 Source - Rain Source - Sewer

No of Properties: 2

Length of Time:

Frequency: 10 year intervals

Location: 4, 5 Glynnedale Drive

Flooding Depth: 4 inches

Incident Ref: 115

Response Ref: 111

Water flows from properties in Hackness Road into Gardens of no. 54 Hackness and eventually into garden of Glynnedale Drive. The ground to the west of the stream rises towards the back of the house in Glynnedale Drive - to the east it is reasonably level. The floor level of the property (3) is about 4 feet higher than the property at no.4. At no point in the gardens of 3, 4, 5 Glynnedale Drive, 54 Hackness Road does the stream overflow as the banks



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs J A Westmoreland**

Telephone: 01723 385170

 Sent In Error

Fax: 01723 342297

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 1 Glyndale Drive

TypeofContact:

 Sent

Town: Newby

Contact Ref: 189

Postcode: YO12 5SQ

**RESPONSE**

Date of Completion:

 Information Sent?

112

Date Returned:

 Internal reports

189

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: A, B, C on map

 Source - River

Date of Incident 2: 02/08/02

 Source - Sea

Area Affected: Road, Houses and gardens

 Source - Rain Source - Sewer

No of Properties: atleast 3

Length of Time: 1 Day

Frequency:

Location: Hackness Road

Flooding Depth: 6 inches

Incident Ref: 117

Response Ref: 112

Heavy rainfall overnight. Sea Cut also flooded &amp; road inot Scalby Village, pictures were taken after flooding levels started to reduce

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: D, E on map  Source - River  
Date of Incident 2: 02/08/02  Source - Sea  
Area Affected: Gardens and road of Glyndale Drive  Source - Rain  
 Source - Sewer  
No of Properties: 1  
Length of Time: 1 day Frequency:  
Location: Glyndale Drive Flooding Depth: 6 inches  
Incident Ref: 118  
Response Ref: 112

Stream full after heavy rain.  
Needed to knock pavestone out  
to allow water to escape into  
Sea Cut

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Peter D Richardson**

Telephone: 01723 362928

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 53 Hackness Road

TypeofContact:

 Sent

Town: Newby

Contact Ref: 190

Postcode:

**RESPONSE**

Date of Completion:

 Information Sent?

113

Date Returned:

 Internal reports

190

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: 1

 Source - River

Date of Incident 2: 2001 2002

 Source - Sea

Area Affected: Houses 57 &amp; 59 Hackness Road

 Source - Rain Source - Sewer

No of Properties:

Length of Time: approx 1 week

Frequency: almost every year in he

Location:

Flooding Depth:

Incident Ref: 119

Response Ref: 113

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**B M Turner**

Telephone: 01723 354110  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 191

Position:  
 Address: 84 Hackness Road  
 Town: Newby  
 Postcode: YO12 5SG

**RESPONSE**

Date of Completion:  Information Sent? 114  
 Date Returned:  Internal reports 191  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number: 1  Source - River  
 Date of Incident 2: April 2003  Source - Sea  
 Area Affected: Garden of Hackness Road and 80, 82, 84 Hackness Road, 111 Scalby Cut  Source - Rain  
 Source - Sewer

No of Properties:  
 Length of Time: Frequency: after heavy rain  
 Location: Garden of Hackness R Flooding Depth:  
 Incident Ref: 120  
 Response Ref: 114

" the only reason that there is flooding in this area is because Scalby Mills is very badly silted up with gravel banks and vegetation growing on silted banks. In past years this Cut was dredged at least every 5 years thereby allowing easy run off of storm water from drain as marked on map. The ditch running alongside Cut and bungalows on Hackness Drive is also very overgrown and at its outlet into outlet into cut by Scalby Road Bridge on A171. It



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr & Mrs Brown**

Telephone: 01723 355482

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 65 Hackness Road

TypeofContact:

 Sent

Town: Scarborough

Contact Ref: 192

Postcode:

**RESPONSE**

Date of Completion:

 Information Sent?

115

Date Returned:

 Internal reports

192

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

drains inadequate

Incident Number: 1

 Source - River

Date of Incident 2:

 Source - Sea

Area Affected: road

 Source - Rain

No of Properties:

 Source - Sewer

Length of Time: 1/2 day

Frequency: regularly

Location:

Flooding Depth:

Incident Ref: 121

Response Ref: 115

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

inadequate drain

Incident Number: 2  Source - River  
Date of Incident 2:  Source - Sea  
Area Affected: driveway  Source - Rain  
 Source - Sewer

No of Properties:  
Length of Time: 2 hrs Frequency: regularly  
Location: Flooding Depth:

Incident Ref: 122  
Response Ref: 115

**INCIDENT**

3 foot space below house flooded

Incident Number: 3  Source - River  
Date of Incident 2:  Source - Sea  
Area Affected: under the house and road  Source - Rain  
 Source - Sewer

No of Properties:  
Length of Time: Frequency:  
Location: Flooding Depth: 2-3 feet

Incident Ref: 123  
Response Ref: 115

**INCIDENT**

damage to culvert at the back and drains cannot cope with high volumes of water in a short space of time

Incident Number: 4  Source - River  
Date of Incident 2:  Source - Sea  
Area Affected: road and gardens  Source - Rain  
 Source - Sewer

No of Properties:  
Length of Time: 1 day Frequency: Annually  
Location: 59, 61, 63, 65 Hacknes Flooding Depth:

Incident Ref: 124  
Response Ref: 115

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr & Mrs Frank Kitching**

Telephone: 01723 369529  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 193

Position:  
 Address: 51 Hackness Road  
 Town: Scarborough  
 Postcode: YO12 5SD

**RESPONSE**

Date of Completion:  Information Sent? 116  
 Date Returned:  Internal reports 193  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number:  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: corner of back gardens  Source - Rain  
 Source - Sewer  
 No of Properties: 1  
 Length of Time: about 2 days Frequency: ni heavy rainfall  
 Location: Flooding Depth: 6 inches  
 Incident Ref: 125  
 Response Ref: 116



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Dr S G McVeigh**

Telephone: 01723 350403

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 49A Hackness Road

TypeofContact:

 Sent

Town:

Contact Ref: 194

Postcode:

**RESPONSE**

Date of Completion:

 Information Sent?

117

Date Returned:

 Internal reports

194

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: 1

 Source - Riverexcess Linden Hill surface run  
off

Date of Incident 2: 10/08/02

 Source - Sea

Area Affected:

 Source - Rain

No of Properties: 3

 Source - Sewer

Length of Time: 2 days

Frequency:

Location: 57/59 Hackness Road

Flooding Depth:

Incident Ref: 126

Response Ref: 117

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

narrower blocked sewers

Incident Number: 2  Source - River  
Date of Incident 2: 02/11/02  Source - Sea  
Area Affected:  Source - Rain  
 Source - Sewer  
No of Properties: 5  
Length of Time: 2 days Frequency: once a year  
Location: Flooding Depth:  
Incident Ref: 127  
Response Ref: 117

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**J H Hunter**

Telephone: 01723 364283

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 88 Hackness Road

TypeofContact:

 Sent

Town: Scarborough

Contact Ref: 195

Postcode: YO12 5SG

**RESPONSE**

Date of Completion:

 Information Sent?

118

Date Returned:

 Internal reports

195

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: 1

 Source - River

Date of Incident 2:

 Source - Sea

Area Affected: road and houses

 Source - Rain

No of Properties:

 Source - Sewer

Length of Time: 1 day

Frequency:

Location: Hackness Road were

Flooding Depth:

Incident Ref: 128

Response Ref: 118

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs Julie Stewart**

Telephone: 07767652712

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 78 Hackness Road

TypeofContact:

 Sent

Town: Newby

Contact Ref: 196

Postcode: YO12 5SG

**RESPONSE**

Date of Completion:

 Information Sent?

119

Date Returned:

 Internal reports

196

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required?

has some photo's if wanted

 Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - Riverroad, gardens and properties  
flooded, garden stream  
regularly floods with heavy rain

Date of Incident 2: August 2002

 Source - Sea

Area Affected:

 Source - Rain

No of Properties: 9

 Source - Sewer

Length of Time: 2 days

Frequency: twice a year

Location: Hackness Road

Flooding Depth: 3 foot

Incident Ref: 129

Response Ref: 119



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr & Mrs Gibbard**

Telephone: 01723 368712  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 197

Position:  
 Address: 59 Hackness Road  
 Town: Scarborough  
 Postcode: YO12 5SD

**RESPONSE**

Date of Completion:  Information Sent? 120  
 Date Returned:  Internal reports 197  
 Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account  
 Other Flooding:  
 Other Records:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number: 1  Source - River  
 Date of Incident 2: 10/08/02  Source - Sea  
 Area Affected: road gardens and houses  Source - Rain  
 Source - Sewer  
 No of Properties: 6  
 Length of Time: 1 day Frequency: every year  
 Location: Hackness Road Flooding Depth: 1 meter  
 Incident Ref: 130  
 Response Ref: 120

"it doesn't help when theres a 3 foot diameter going underneath Lawence Grove and coming out at 2 foot diameter culvert behind 59 Hackness Road creating a bottle neck"

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

water backup

Incident Number: 2  Source - River  
Date of Incident 2: Sept 2000  Source - Sea  
Area Affected: Road and Gardens  Source - Rain  
 Source - Sewer  
No of Properties: 2  
Length of Time: 1 day Frequency: every year  
Location: Hackness Road Flooding Depth: 0.3 meter  
Incident Ref: 131  
Response Ref: 120

**INCIDENT**

Damaged culvert and wall not repaired from 10/08/02.

Incident Number: 3  Source - River  
Date of Incident 2: 02/11/02  Source - Sea  
Area Affected: Garden and houses  Source - Rain  
 Source - Sewer  
No of Properties: 2  
Length of Time: 1 day Frequency: every year  
Location: Hackness Road Flooding Depth: 0.2 meter  
Incident Ref: 132  
Response Ref: 120



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr & Mrs G B Dove**

Telephone: 01723 365541

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 57 Hackness Road

TypeofContact:

 Sent

Town: Newby

Contact Ref: 198

Postcode: YO12 5SD

**RESPONSE**

Date of Completion:

 Information Sent?

121

Date Returned:

 Internal reports

198

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required?

has sent a letter, press cuttings and photographs

 Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: 1

 Source - River

culvert opening is too small and floods

Date of Incident 2: 10/08/02

 Source - Sea

Area Affected: 57 Hackness Road

 Source - Rain

No of Properties: 1

 Source - Sewer

Length of Time: 1 day

Frequency: when heavy rain falls

Location:

Flooding Depth: 0.35 m

Incident Ref: 133

Response Ref: 121

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: 2  Source - River garden has flooded several times in the past 25 years  
Date of Incident 2: 02/11/02  Source - Sea  
Area Affected: 57 Hackness Road  Source - Rain  
 Source - Sewer  
No of Properties: 1  
Length of Time: Frequency: after heavy rainfall  
Location: 57 Hackness Road Flooding Depth:  
Incident Ref: 134  
Response Ref: 121



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Michael Whiteley**

Telephone: 01723 374539

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 52 Hackness Road

TypeofContact:

 Sent

Town: Nweby

Contact Ref: 199

Postcode: YO12 5RY

**RESPONSE**

Date of Completion:

 Information Sent?

122

Date Returned:

 Internal reports

199

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

houses flood in heavy downpour

Incident Number: 1

 Source - River

Date of Incident 2: 2002

 Source - Sea

Area Affected: houses and road

 Source - Rain

No of Properties: 3

 Source - Sewer

Length of Time: 1 day

Frequency: once a year

Location: Hackness Road, Lawre

Flooding Depth: 1 meter

Incident Ref: 135

Response Ref: 122

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: 2  Source - River  
Date of Incident 2:  Source - Sea  
Area Affected: houses and road  Source - Rain  
 Source - Sewer  
No of Properties: 3  
Length of Time: 1 day Frequency:  
Location: Hackness Road, Lawre Flooding Depth: 1 meter  
Incident Ref: 136  
Response Ref: 122

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr W J Woodroffe**

Telephone: 017232 366884

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: flat 4 Haybrow Manor, 70 Hackness Road

TypeofContact:

 Sent

Town: Scarborough

Contact Ref: 200

Postcode: YO12 5SG

**RESPONSE**

Date of Completion:

 Information Sent?

123

Date Returned:

 Internal reports

200

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - River

stream cannot handle severe rainfall

Date of Incident 2:

 Source - Sea

Area Affected: gardens and garages

 Source - Rain

No of Properties:

 Source - Sewer

Length of Time: soon goes down

Frequency: regular

Location: watercourse goes thro

Flooding Depth: 0.3 meters

Incident Ref: 137

Response Ref: 123

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Peter L Boast**

Telephone: 01723 374860

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 46 Hackness Road

TypeofContact:

 Sent

Town: Newby

Contact Ref: 201

Postcode: Yo12 5RY

**RESPONSE**

Date of Completion:

 Information Sent?

124

Date Returned:

 Internal reports

201

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - Riverflooding depth 0.6 meter at  
back of 59, 61 Hackness Road

Date of Incident 2: August 2002

 Source - Sea

Area Affected: garden, houses and road

 Source - Rain

No of Properties: 4

 Source - Sewer

Length of Time: 1 day

Frequency:

Location: Hackness Road

Flooding Depth: 0.6 meter

Incident Ref: 138

Response Ref: 124

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr D Arrnold**

Telephone: 01947 602131  Sent In Error  
 Fax: 01947 606165  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 202

Position:  
 Address: 3 Moor Lane  
 Town: Scarborough  
 Postcode: YO12 5SL

**RESPONSE**

Date of Completion:  Information Sent? 125  
 Date Returned:  Internal reports 202  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:

Other Records:  
 To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number:  Source - River  
 Date of Incident 2: 10/08/02  Source - Sea  
 Area Affected: Gardens 3-7 Moor Lane  Source - Rain  
 Source - Sewer

No of Properties: 7  
 Length of Time: 2 days Frequency: when it rains  
 Location: Moor Lane Flooding Depth: 1.8 meter at worst  
 Incident Ref: 139  
 Response Ref: 125

culvert cannot cope with the amount of water which traverses it. Simply unfit for its current value

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Miss M Webdale**

Position:

Address: 35 Moor Lane

Town: Scarborough

Postcode: YO23 5SL

Telephone:

Fax: 01723 351400

Email:

DateSent:

TypeofContact:

Contact Ref: 203

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent?

126

Date Returned:

 Internal reports

203

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**M Taylor**

Position:  
Address: 7 Moor Lane  
Town: Newby  
Postcode: YO12 5SL

Telephone: 01723 368959  
Fax:  
Email:  
DateSent:  
TypeofContact:  
Contact Ref: 204

- Sent In Error
- Not Sent
- Reply
- Re-sent
- Sent

**RESPONSE**

Date of Completion:

Information Sent? 127

Date Returned:

Internal reports 204

- Flooding?
- Flooding from the sea
- Buildings/houses flooded
- Camp sites flooded
- Roads closed by flooding
- River over-topping its banks
- Blockage of debris/other structures during flood
- Overflowing storm drains
- Sewer overflow

- Press cuttings
- Duration of flooding
- Photographs
- Estimated or measured flood levels
- Number of properties/persons affected
- Correspondence with members of the public
- Videos
- Eye witness account

Other Flooding:

Other Records:

General Comments:

- To Be Returned?
- Follow Up Call Required?
- Map Returned?
- No Flooding?
- Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**R Dick**

Telephone: 01723 366196  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 205

Position:  
 Address: 11 Moor Lane  
 Town: Newby  
 Postcode: YO12 5SL

**RESPONSE**

Date of Completion:  Information Sent? 128  
 Date Returned:  Internal reports 205  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

has photo's and video

Incident Number:  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: road and houses  Source - Rain  
 Source - Sewer  
 No of Properties:  
 Length of Time: Frequency:  
 Location: Hackness Road Flooding Depth:  
 Incident Ref: 140  
 Response Ref: 128

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Paul Winship**

Position:

Address: 33 Moor Lane

Town: Scarborough

Postcode: YO12 5SL

Telephone:

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 206

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent?

129

Date Returned:

 Internal reports

206

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - River

Date of Incident 2: 2003

 Source - Sea

Area Affected: road and houses

 Source - Rain

No of Properties: 2

 Source - Sewer

Length of Time: 1/2 day

Frequency:

Location: corner of Hackness Ro Flooding Depth: 0.6 meters

Incident Ref: 141

Response Ref: 129

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Lilian Phillips**

Telephone: 01723 369979  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 207

Position:  
 Address: 31 Moor Lane  
 Town: Newby  
 Postcode: YO12 5SL

**RESPONSE**

Date of Completion:  Information Sent? 130  
 Date Returned:  Internal reports 207  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number:  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: Hackness Road and Allotment Gardens and botton Moor Lane  Source - Rain  
 Source - Sewer  
 No of Properties: several  
 Length of Time: until water drained aw Frequency: when there is very hea  
 Location: Flooding Depth:  
 Incident Ref: 142  
 Response Ref: 130

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr R Barton**

Telephone: 01723 369730

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 2 Lawrence Grove

TypeofContact:

 Sent

Town: Nweby

Contact Ref: 208

Postcode: YO12 5SF

**RESPONSE**

Date of Completion:

 Information Sent?

131

Date Returned:

 Internal reports

208

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

debris in stream

Incident Number:

 Source - River

Date of Incident 2: 10/08/02

 Source - Sea

Area Affected: Lawrence Grove

 Source - Rain

No of Properties: 2

 Source - Sewer

Length of Time: 6hrs

Frequency:

Location: Lawrence Grove

Flooding Depth:

Incident Ref: 143

Response Ref: 131

**QUESTIONNAIRE RESPONSES:-** Newby

(1 Contact Per Page)

**Mrs W M Boast**

Position:

Address: 14 Lawrence Grove

Town: Scarborough

Postcode: YO12 5SF

Telephone: 01723 365064

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 209

Sent In Error

Not Sent

Reply

Re-sent

Sent

**Mrs I D Mouer - Spiers**

Telephone:	01723 369995	<input type="checkbox"/> Sent In Error
Fax:		<input type="checkbox"/> Not Sent
Email:		<input type="checkbox"/> Reply
DateSent:		<input type="checkbox"/> Re-sent
TypeofContact:		<input type="checkbox"/> Sent
Contact Ref:	210	

Position:

Address: 6 Lawrence Grove

Town: Scarborough

Postcode: YO12 5SF

**RESPONSE**

Date of Completion:	<input type="checkbox"/> Information Sent?	132
Date Returned:	<input type="checkbox"/> Internal reports	210
<input type="checkbox"/> Flooding?	<input type="checkbox"/> Press cuttings	
<input type="checkbox"/> Flooding from the sea	<input type="checkbox"/> Duration of flooding	
<input type="checkbox"/> Buildings/houses flooded	<input type="checkbox"/> Photographs	
<input type="checkbox"/> Camp sites flooded	<input type="checkbox"/> Estimated or measured flood levels	
<input type="checkbox"/> Roads closed by flooding	<input type="checkbox"/> Number of properties/persons affected	
<input type="checkbox"/> River over-topping its banks	<input type="checkbox"/> Correspondence with members of the public	
<input type="checkbox"/> Blockage of debris/other structures during flood	<input type="checkbox"/> Videos	
<input type="checkbox"/> Overflowing storm drains	<input type="checkbox"/> Eye witness account	
<input type="checkbox"/> Sewer overflow		

Other Flooding:

General Comments:

Other Records:

<input type="checkbox"/> To Be Returned?	<input type="checkbox"/> Follow Up Call Required?
	<input type="checkbox"/> Map Returned?
	<input type="checkbox"/> No Flooding?
	<input type="checkbox"/> Useful Information?

**INCIDENT**

Incident Number:	<input type="checkbox"/> Source - River	flooding has occurred ever since watercourse was diverted on the green at the rear of Lawrence Grove
Date of Incident 2:	<input type="checkbox"/> Source - Sea	
Area Affected:	<input type="checkbox"/> Source - Rain	
No of Properties:	<input type="checkbox"/> Source - Sewer	
Length of Time:	Frequency:	
Location:	Flooding Depth:	
Incident Ref:	144	
Response Ref:	132	

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr M Baron**

Telephone: 01723 369840

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 5 Lawrence Grove

TypeofContact:

 Sent

Town: Newby

Contact Ref: 211

Postcode: YO12 5SF

**RESPONSE**

Date of Completion:

 Information Sent?

133

Date Returned:

 Internal reports

211

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Damaged and Blocked culvert

Incident Number:

 Source - River

Date of Incident 2:

 Source - Sea

Area Affected: lower region of Lawrence Close adjacent 4 lanes

 Source - Rain

No of Properties:

 Source - Sewer

Length of Time: 2 or 3 days

Frequency: every 4 or 5 years

Location:

Flooding Depth:

Incident Ref: 145

Response Ref: 133

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**D Fletcher**

Telephone: 01723 374050  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 212

Position:  
 Address: 16 Lawrence Grove  
 Town: Newby  
 Postcode: YO12 5SF

**RESPONSE**

Date of Completion:  Information Sent? 134  
 Date Returned:  Internal reports 212  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number: 1  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: Roads, garden property  Source - Rain  
 Source - Sewer  
 No of Properties: 4  
 Length of Time: Frequency:  
 Location: Lawrence Close, Hack Flooding Depth:  
 Incident Ref: 146  
 Response Ref: 134

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**B Black**

Position:

Address: 18 Lawrence Grove

Town: Newby

Postcode:

Telephone: 01723 372707

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 213

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent?

135

Date Returned:

 Internal reports

213

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:-** Newby

(1 Contact Per Page)

---

Position:		Telephone:	01723 362011	<input type="checkbox"/>	Sent In Error
Address:	12 Lawrence Grove	Fax:		<input type="checkbox"/>	Not Sent
Town:	Newby	Email:		<input type="checkbox"/>	Reply
Postcode:	YO12 5SE	DateSent:		<input type="checkbox"/>	Re-sent
		TypeofContact:		<input type="checkbox"/>	Sent
		Contact Ref:	214		

---

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Doreen Smith**

Position:

Address: 10 Lawrence Grove

Town: Newby

Postcode: YO12 5SF

Telephone: 01723 362508

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 215

Sent In Error

Not Sent

Reply

Re-sent

Sent

**RESPONSE**

Date of Completion:

Date Returned:

Flooding?

Flooding from the sea

Buildings/houses flooded

Camp sites flooded

Roads closed by flooding

River over-topping its banks

Blockage of debris/other structures during flood

Overflowing storm drains

Sewer overflow

Other Flooding:

General Comments:

Information Sent?

136

Internal reports

215

Press cuttings

Duration of flooding

Photographs

Estimated or measured flood levels

Number of properties/persons affected

Correspondence with members of the public

Videos

Eye witness account

Other Records:

To Be Returned?

Follow Up Call Required?

Map Returned?

No Flooding?

Useful Information?

**INCIDENT**

Incident Number:

Date of Incident 2:

Area Affected: field

No of Properties:

Length of Time: 1 day

Location:

Incident Ref: 147

Response Ref: 136

Source - River

Source - Sea

Source - Rain

Source - Sewer

Frequency: after heavy rain, worse

Flooding Depth:



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs M J Batty**

Telephone: 01723 361342

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 9 Lawrence Grove

TypeofContact:

 Sent

Town: Newby

Contact Ref: 216

Postcode: YO12 5SF

**RESPONSE**

Date of Completion:

 Information Sent?

137

Date Returned:

 Internal reports

216

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: 1

 Source - River

field slopes towards the gardens and they flood

Date of Incident 2:

 Source - Sea

Area Affected: Corner of Lawrence Grove and Linden Road

 Source - Rain Source - Sewer

No of Properties:

Length of Time: varies up to a week

Frequency: after heavy rain or sno

Location: Corner of Lawrence Gr

Flooding Depth: 0.3 meter

Incident Ref: 148

Response Ref: 137

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: 2  Source - River Land drains and a manhole were put in area - much better now

Date of Incident 2:  Source - Sea

Area Affected: first bugalow on Lawrence Grove and houses on Hackness Road  Source - Rain

No of Properties: 2-3  Source - Sewer

Length of Time: 1 week Frequency: after rain or snow

Location: first bugalow on Lawre Flooding Depth: 0.3 meter

Incident Ref: 149

Response Ref: 137

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs J Ratt**

Telephone: 01723 362505

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 5 Lawrence Grove

TypeofContact:

 Sent

Town: Newby

Contact Ref: 217

Postcode: YO12 5SF

**RESPONSE**

Date of Completion:

 Information Sent?

138

Date Returned:

 Internal reports

217

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments: The field and beck flooded from last year when work was carried out to the drainage system and now seems to flood over most times it rains heavily but soon drains away

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr M Eves**

Position:  
Address: 7 Lawrence Grove  
Town: Scarborough  
Postcode: YO12 5SF

Telephone:  
Fax:  
Email:  
DateSent:  
TypeofContact:  
Contact Ref: 218

- Sent In Error
- Not Sent
- Reply
- Re-sent
- Sent

**RESPONSE**

Date of Completion:

Information Sent? 139

Date Returned:

Internal reports 218

- Flooding?
- Flooding from the sea
- Buildings/houses flooded
- Camp sites flooded
- Roads closed by flooding
- River over-topping its banks
- Blockage of debris/other structures during flood
- Overflowing storm drains
- Sewer overflow

- Press cuttings
- Duration of flooding
- Photographs
- Estimated or measured flood levels
- Number of properties/persons affected
- Correspondence with members of the public
- Videos
- Eye witness account

Other Flooding:

Other Records:

General Comments: on higher ground but garden floods and so do allotments

- To Be Returned?
- Follow Up Call Required?
- Map Returned?
- No Flooding?
- Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs A S Curran**

Telephone: 01723 371286

Sent In Error

Fax:

Not Sent

Email:

Reply

Position:

DateSent:

Re-sent

Address: 3 Lawrence Grove

TypeofContact:

Sent

Town: Newby

Contact Ref: 219

Postcode: YO12 5SF

**RESPONSE**

Date of Completion:

Information Sent? 140

Date Returned:

Internal reports 219

Flooding?

Press cuttings

Flooding from the sea

Duration of flooding

Buildings/houses flooded

Photographs

Camp sites flooded

Estimated or measured flood levels

Roads closed by flooding

Number of properties/persons affected

River over-topping its banks

Correspondence with members of the public

Blockage of debris/other structures during flood

Videos

Overflowing storm drains

Eye witness account

Sewer overflow

Other Flooding:

Other Records:

General Comments:

To Be Returned?

Follow Up Call Required?

Map Returned?

No Flooding?

Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Margaret Stead**

Telephone: 01723 307648  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 220

Position:  
 Address: 7 Linden Road  
 Town: Newby  
 Postcode: YO12 5SM

**RESPONSE**

Date of Completion:  Information Sent? 141  
 Date Returned:  Internal reports 220  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number:  Source - River  
 Date of Incident 2: 2001/2001  Source - Sea  
 Area Affected: bottom of garden  Source - Rain  
 Source - Sewer

No of Properties:  
 Length of Time: week Frequency:  
 Location: Linden Road Flooding Depth: 0.7 meter  
 Incident Ref: 150  
 Response Ref: 141

watercourse runs it natural course



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Drury**

Telephone: 01723 370833  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 221

Position:  
 Address: 35 Linden Road  
 Town: Newby  
 Postcode: YO12 5SN

**RESPONSE**

Date of Completion:  Information Sent? 142  
 Date Returned:  Internal reports 221  
 Flooding?  Press cuttings  
 Flooding from the sea  Duration of flooding  
 Buildings/houses flooded  Photographs  
 Camp sites flooded  Estimated or measured flood levels  
 Roads closed by flooding  Number of properties/persons affected  
 River over-topping its banks  Correspondence with members of the public  
 Blockage of debris/other structures during flood  Videos  
 Overflowing storm drains  Eye witness account  
 Sewer overflow

Other Flooding: Other Records:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number: 1  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: Hackness Road, Moor Lane Junction  Source - Rain  
 Source - Sewer  
 No of Properties: 2  
 Length of Time: 1 day Frequency:  
 Location: Hackness Road, Moor Flooding Depth: 0.2 - 0.3 meter  
 Incident Ref: 151  
 Response Ref: 142

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: 2  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: 33, 35 Linden Road , Lance Grove  Source - Rain  
 Source - Sewer  
 No of Properties: 4  
 Length of Time: 1 day Frequency: last 10 years  
 Location: 33, 35 Linden Road , L Flooding Depth: 0.2 - 0.6 meters  
 Incident Ref: 152  
 Response Ref: 142

**INCIDENT**

Incident Number: 3  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: Play area and end houses on Linden Road  Source - Rain  
 Source - Sewer  
 No of Properties: 2  
 Length of Time: 1 Dat Frequency: every year  
 Location: Linden Road Flooding Depth: 1 meter  
 Incident Ref: 153  
 Response Ref: 142

culvert leading under Linden Grove blocked

**INCIDENT**

Incident Number: 4  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: part of road in Linden Road  Source - Rain  
 Source - Sewer  
 No of Properties:  
 Length of Time: 1 day Frequency: every year  
 Location: Linden Road Flooding Depth:  
 Incident Ref: 154  
 Response Ref: 142

drain blocked

**INCIDENT**

Incident Number: 5  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: pond  Source - Rain  
 Source - Sewer  
 No of Properties: 1  
 Length of Time: 1day Frequency: every year  
 Location: Linden Road Flooding Depth:  
 Incident Ref: 155  
 Response Ref: 142

spring from plaaying field

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**B Hatch**

Position:

Address: 34 Linden Road

Town: Newby

Postcode: YO12 5SN

Telephone: 01723 353694

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 222

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent? 143

Date Returned:

 Internal reports 222 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**G McLorinan**

Telephone: 01723 364131

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 32 Linden Road

TypeofContact:

 Sent

Town: Newby

Contact Ref: 223

Postcode: YO12 5SN

**RESPONSE**

Date of Completion:

 Information Sent?

144

Date Returned:

 Internal reports

223

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Records:

Other Flooding:

 To Be Returned? Follow Up Call Required?

General Comments:

 Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: 1/2/3/4

 Source - River

Date of Incident 2: Spasmodic

 Source - Sea

Area Affected:

 Source - Rain

grids at points of narrowed watercourse collect debris causing restricted flow and floods road and lower part of field at corner of Lady Edith's Drive and Scalby Road

No of Properties: 2

 Source - Sewer

Length of Time: 0.5-1 day

Frequency: 2-3 times a year

Location:

Flooding Depth: 0.1m

Incident Ref: 67

Response Ref: 144

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: 1

Date of Incident 2:

Area Affected: Roads gardens

No of Properties:

Length of Time:

Location: Linden Road

Incident Ref: 156

Response Ref: 144

Source - River

Source - Sea

Source - Rain

Source - Sewer

pipes between Linden Road  
Hackness Road will not take  
very heavy down pour

Frequency: in very heavy rain

Flooding Depth:

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Rebecca Marshall**

Telephone: 01723 363026

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 45 Linden Road

TypeofContact:

 Sent

Town: Newby

Contact Ref: 224

Postcode:

**RESPONSE**

Date of Completion:

 Information Sent?

145

Date Returned:

 Internal reports

224

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

stream over flows

Incident Number: 1

 Source - River

Date of Incident 2:

 Source - Sea

Area Affected: garden

 Source - Rain Source - Sewer

No of Properties: 2

Length of Time: 1/2 day

Frequency: in heavy rain

Location: 45 Linden Road

Flooding Depth: 0.75 meters

Incident Ref: 157

Response Ref: 145

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**M Harly**

Telephone: 01723 379247  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 225

Position:  
 Address: 1 Linden Road  
 Town: Newby  
 Postcode: YO12 5SW

**RESPONSE**

Date of Completion:  Information Sent? 146  
 Date Returned:  Internal reports 225  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 Other Records:

General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr Desmond Summersgil**

Position:

Address: 44 Linden Road

Town: Scarborough

Postcode: YO12 5SN

Telephone: 01723 369213

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 226

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent? 147

Date Returned:

 Internal reports 226 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - River

Date of Incident 2:

 Source - Sea

Area Affected: Linden Road and playing field

 Source - Rain

No of Properties:

 Source - Sewer

Length of Time:

Frequency:

Location:

Flooding Depth:

Incident Ref: 158

Response Ref: 147

the culvert is not big enough for the amount of water flowing into it after a heavy rainfall. Drian also blocked at times



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs R Prior**

Telephone: 01723 372374

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 43 Linden Road

TypeofContact:

 Sent

Town: Newby

Contact Ref: 227

Postcode: YO12 5SN

**RESPONSE**

Date of Completion:

 Information Sent?

148

Date Returned:

 Internal reports

227

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Records:

Other Flooding:

 To Be Returned? Follow Up Call Required?

General Comments:

 Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: 1

 Source - River

Date of Incident 2: 2002

 Source - Sea

Area Affected: field

 Source - Rain Source - Sewer

No of Properties:

Length of Time:

Frequency: heavy continuous rain

Location: Linden Road

Flooding Depth:

Incident Ref: 159

Response Ref: 148

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: 2  Source - River  
Date of Incident 2:  Source - Sea  
Area Affected: gardens  Source - Rain  
 Source - Sewer  
No of Properties: 3  
Length of Time: Frequency: heavy continuous rain  
Location: Flooding Depth:  
Incident Ref: 160  
Response Ref: 148



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr P N Woodcroft**

Telephone: 01723 232531

 Sent In Error

Fax: 01723 365280

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 41 Linden Road

TypeofContact:

 Sent

Town: newby

Contact Ref: 228

Postcode: YO12 5SN

**RESPONSE**

Date of Completion:

 Information Sent?

149

Date Returned:

 Internal reports

228

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: 1

 Source - River

Date of Incident 2: 10/08/02

 Source - Sea

Area Affected: gardens and houses

 Source - Rain

No of Properties: 2+

 Source - Sewer

Length of Time: 2 days

Frequency:

Location: Linden Road and Linde Flooding Depth: 0.9 meters

Incident Ref: 161

Response Ref: 149

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: 2  Source - River  
Date of Incident 2: august and november  Source - Sea  
Area Affected: gardens  Source - Rain  
 Source - Sewer  
No of Properties: 5  
Length of Time: 1 day Frequency: 4 times a year  
Location: Linden Road Flooding Depth: 0.45 meters  
Incident Ref: 162  
Response Ref: 149

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr & Mrs G E & K Taylor**

Telephone: 01723 369921

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 30 Linden Road

TypeofContact:

 Sent

Town: Newby

Contact Ref: 229

Postcode: YO12 5SN

**RESPONSE**

Date of Completion:

 Information Sent?

150

Date Returned:

 Internal reports

229

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - River

Date of Incident 2: August 2002

 Source - Sea

Area Affected: houses

 Source - Rain Source - Sewer

No of Properties: 7

Length of Time: 1 Day

Frequency: annually

Location: Linden Road

Flooding Depth: 0.9 meters

Incident Ref: 163

Response Ref: 150

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Richard Hunter**

Telephone:  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 230

Position:  
 Address: 30 Linden Road  
 Town: Newby  
 Postcode: YO12 5SN

**RESPONSE**

Date of Completion:  Information Sent? 151  
 Date Returned:  Internal reports 230  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number:  Source - River  
 Date of Incident 2: March/April 2003  Source - Sea  
 Area Affected: Playing field, house, garden  Source - Rain  
 Source - Sewer

No of Properties: 1  
 Length of Time: 1 week Frequency: twice a year  
 Location: Linden Road Flooding Depth: 2 meters  
 Incident Ref: 164  
 Response Ref: 151

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr and Mrs K F Reed**

Position:

Address: 19 Linden Road

Town: Newby

Postcode: YO12 5SN

Telephone: 01723 353097

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 231

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent? 152

Date Returned:

 Internal reports 231 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - River

Date of Incident 2:

 Source - Sea

Area Affected: road gardens

 Source - Rain

No of Properties: several

 Source - Sewer

Length of Time:

Frequency: when rain is heavy

Location:

end of Linden Road an Flooding Depth: 0.1-0.3 meters

Incident Ref: 165

Response Ref: 152

flooding after Lawrence Grove was built

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr Andrew Eric Bloomfiled**

Position:  
 Address: 15 Linden Road  
 Town: Newby  
 Postcode: YO12 5SN

Telephone:  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 232

**RESPONSE**

Date of Completion:  Information Sent? 153  
 Date Returned:  Internal reports 232  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account  
 Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow  
 Other Flooding:  
 Other Records:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

Position:	Telephone:	<input type="checkbox"/> Sent In Error
Address: 7 Linden Road	Fax:	<input type="checkbox"/> Not Sent
Town: Newby	Email:	<input type="checkbox"/> Reply
Postcode: YO12 5SN	DateSent:	<input type="checkbox"/> Re-sent
	TypeofContact:	<input type="checkbox"/> Sent
	Contact Ref: 233	

**RESPONSE**

Date of Completion:	<input type="checkbox"/> Information Sent?	154
Date Returned:	<input type="checkbox"/> Internal reports	233
<input type="checkbox"/> Flooding?	<input type="checkbox"/> Press cuttings	
<input type="checkbox"/> Flooding from the sea	<input type="checkbox"/> Duration of flooding	
<input type="checkbox"/> Buildings/houses flooded	<input type="checkbox"/> Photographs	
<input type="checkbox"/> Camp sites flooded	<input type="checkbox"/> Estimated or measured flood levels	
<input type="checkbox"/> Roads closed by flooding	<input type="checkbox"/> Number of properties/persons affected	
<input type="checkbox"/> River over-topping its banks	<input type="checkbox"/> Correspondence with members of the public	
<input type="checkbox"/> Blockage of debris/other structures during flood	<input type="checkbox"/> Videos	
<input type="checkbox"/> Overflowing storm drains	<input type="checkbox"/> Eye witness account	
<input type="checkbox"/> Sewer overflow		
Other Flooding:	Other Records:	
General Comments: has just moved in	<input type="checkbox"/> To Be Returned?	<input type="checkbox"/> Follow Up Call Required?
		<input type="checkbox"/> Map Returned?
		<input checked="" type="checkbox"/> No Flooding?
		<input type="checkbox"/> Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**H Craig**

Telephone: 01723 366839

Sent In Error

Fax:

Not Sent

Email:

Reply

Position:

DateSent:

Re-sent

Address: 52 Linden Road

TypeofContact:

Sent

Town: Newby

Contact Ref: 234

Postcode: YO12 5SN

**RESPONSE**

Date of Completion:

Information Sent? 155

Date Returned:

Internal reports 234

Flooding?

Press cuttings

Flooding from the sea

Duration of flooding

Buildings/houses flooded

Photographs

Camp sites flooded

Estimated or measured flood levels

Roads closed by flooding

Number of properties/persons affected

River over-topping its banks

Correspondence with members of the public

Blockage of debris/other structures during flood

Videos

Overflowing storm drains

Eye witness account

Sewer overflow

Other Flooding:

Other Records:

General Comments: new drain in place so no flooding if grass cuttings are cleared

To Be Returned?

Follow Up Call Required?

Map Returned?

No Flooding?

Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs A Turnbull**

Telephone: 01723 365950

Sent In Error

Fax:

Not Sent

Email:

Reply

DateSent:

Re-sent

TypeofContact:

Sent

Contact Ref: 235

Position:

Address: 24 The Close

Town: Newby

Postcode:

**RESPONSE**

Date of Completion:

Information Sent? 156

Date Returned:

Internal reports 235

Flooding?

Press cuttings

Flooding from the sea

Duration of flooding

Buildings/houses flooded

Photographs

Camp sites flooded

Estimated or measured flood levels

Roads closed by flooding

Number of properties/persons affected

River over-topping its banks

Correspondence with members of the public

Blockage of debris/other structures during flood

Videos

Overflowing storm drains

Eye witness account

Sewer overflow

Other Flooding:

Other Records:

General Comments:

To Be Returned?

Follow Up Call Required?

Map Returned?

No Flooding?

Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs M C Day**

Telephone: 01723 364977

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

DateSent:

 Re-sent

TypeofContact:

 Sent

Contact Ref: 236

Position:

Address: 19 The Close

Town: Newby

Postcode: YO12 6EC

**RESPONSE**

Date of Completion:

 Information Sent?

157

Date Returned:

 Internal reports

236

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**C R Leeming**

Telephone: 01723 375983  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 237

Position:  
 Address: 21 The Close  
 Town: Newby  
 Postcode: YO12 6EG

**RESPONSE**

Date of Completion:  Information Sent? 158  
 Date Returned:  Internal reports 237  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:

Other Records:  
 To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number:  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: garden  Source - Rain  
 Source - Sewer  
 No of Properties:  
 Length of Time: Frequency: heavy rain  
 Location: The Close Flooding Depth:  
 Incident Ref: 166  
 Response Ref: 158

watercourse is well below the house



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**J Agar**

Telephone: 01723 362533

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 27 The Close

TypeofContact:

 Sent

Town: Newby

Contact Ref: 238

Postcode:

**RESPONSE**

Date of Completion:

 Information Sent?

159

Date Returned:

 Internal reports

238

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - River

Date of Incident 2:

 Source - Sea

Area Affected: field

 Source - Rain

No of Properties:

 Source - Sewer

Length of Time:

Frequency: heavy rain

Location: The Close

Flooding Depth:

Incident Ref: 167

Response Ref: 159

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number:  Source - River  
Date of Incident 2:  Source - Sea  
Area Affected: raod  Source - Rain  
 Source - Sewer  
No of Properties:  
Length of Time: Frequency:  
Location: both sides of Hacknes Flooding Depth: 0.6 meters  
Incident Ref: 168  
Response Ref: 159



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs L D Corrigan**

Telephone: 01723 375570

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 22 The Close

TypeofContact:

 Sent

Town: Newby

Contact Ref: 239

Postcode: YO12 6EG

**RESPONSE**

Date of Completion:

 Information Sent?

160

Date Returned:

 Internal reports

239

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number: 1

 Source - River

Date of Incident 2: march 2003

 Source - Sea

Area Affected: Back field

 Source - Rain Source - Sewer

No of Properties:

Length of Time: 2/3 days

Frequency: every 6 minths

Location: The Close

Flooding Depth: 0.1 meter

Incident Ref: 169

Response Ref: 160

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: 2  Source - River  
Date of Incident 2: september 2002  Source - Sea  
Area Affected: back of field  Source - Rain  
 Source - Sewer  
No of Properties:  
Length of Time: 2/3 days Frequency: every 6 months  
Location: The Close Flooding Depth: 0.1 meter  
Incident Ref: 170  
Response Ref: 160

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr P J Payne**

Telephone: 01723 379105

Sent In Error

Fax:

Not Sent

Email:

Reply

DateSent:

Re-sent

TypeofContact:

Sent

Contact Ref: 240

Position:

Address: 52 Gatesgarth Close

Town: Newby

Postcode: YO12 5PA

**RESPONSE**

Date of Completion:

Information Sent? 161

Date Returned:

Internal reports 240

Flooding?

Press cuttings

Flooding from the sea

Duration of flooding

Buildings/houses flooded

Photographs

Camp sites flooded

Estimated or measured flood levels

Roads closed by flooding

Number of properties/persons affected

River over-topping its banks

Correspondence with members of the public

Blockage of debris/other structures during flood

Videos

Overflowing storm drains

Eye witness account

Sewer overflow

Other Flooding:

Other Records:

General Comments:

To Be Returned?

Follow Up Call Required?

Map Returned?

No Flooding?

Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr T Watson**

Position:

Address: 37 Gatesgarth Close

Town: Newby

Postcode: YO12 5PA

Telephone:

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 241

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent?

162

Date Returned:

 Internal reports

241

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

clears quickly

Incident Number: 1

 Source - River

Date of Incident 2:

 Source - Sea

Area Affected: road

 Source - Rain

No of Properties:

 Source - Sewer

Length of Time:

Frequency: heavy rain

Location: Hackness Road

Flooding Depth: 0.6 meters

Incident Ref: 171

Response Ref: 162

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**D Hallingsworth**

Position:

Address: 44 Gatesgarth Close

Town: Newby

Postcode:

Telephone:

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 242

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent?

163

Date Returned:

 Internal reports

242

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs J M Cappleman**

Position:

Address: 46 Gatesgarth Close

Town: Newby

Postcode: YO12 5PA

Telephone:

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 243

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent? 164

Date Returned:

 Internal reports 243 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs M J Matty**

Telephone: 01723 366106

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 48 Gatesgarth Close

TypeofContact:

 Sent

Town: Newby

Contact Ref: 244

Postcode: YO12 5PA

**RESPONSE**

Date of Completion:

 Information Sent?

165

Date Returned:

 Internal reports

244

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**B Cociterill**

Position:

Address: 28 Gatesgarth Close

Town: Newby

Postcode: YO12 5PA

Telephone: 01723 365314

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 245

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent? 166

Date Returned:

 Internal reports 245 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs M Jobling**

Telephone: 01723 366479

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 54 Gatesgarth Close

TypeofContact:

 Sent

Town: Newby

Contact Ref: 246

Postcode:

**RESPONSE**

Date of Completion:

 Information Sent?

167

Date Returned:

 Internal reports

246

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr & Mrs Wood**

Telephone: 01723 311465  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 247

Position:  
 Address: 29 Gatesgarth Close  
 Town: Newby  
 Postcode: YO12 5PA

**RESPONSE**

Date of Completion:  Information Sent? 168  
 Date Returned:  Internal reports 247  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 Other Records:

General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

---

Position:	Telephone:	<input type="checkbox"/> Sent In Error
Address: 50 Gatesgarth Close	Fax:	<input type="checkbox"/> Not Sent
Town: Neby	Email:	<input type="checkbox"/> Reply
Postcode: YO12 5PA	DateSent:	<input type="checkbox"/> Re-sent
	TypeofContact:	<input type="checkbox"/> Sent
	Contact Ref: 248	

---

**RESPONSE**

Date of Completion:	<input type="checkbox"/> Information Sent?	169
Date Returned:	<input type="checkbox"/> Internal reports	248
<input type="checkbox"/> Flooding?	<input type="checkbox"/> Press cuttings	
<input type="checkbox"/> Flooding from the sea	<input type="checkbox"/> Duration of flooding	
<input type="checkbox"/> Buildings/houses flooded	<input type="checkbox"/> Photographs	
<input type="checkbox"/> Camp sites flooded	<input type="checkbox"/> Estimated or measured flood levels	
<input type="checkbox"/> Roads closed by flooding	<input type="checkbox"/> Number of properties/persons affected	
<input type="checkbox"/> River over-topping its banks	<input type="checkbox"/> Correspondence with members of the public	
<input type="checkbox"/> Blockage of debris/other structures during flood	<input type="checkbox"/> Videos	
<input type="checkbox"/> Overflowing storm drains	<input type="checkbox"/> Eye witness account	
<input type="checkbox"/> Sewer overflow		
Other Flooding:	Other Records:	
General Comments:	<input type="checkbox"/> To Be Returned?	<input type="checkbox"/> Follow Up Call Required?
		<input type="checkbox"/> Map Returned?
		<input checked="" type="checkbox"/> No Flooding?
		<input type="checkbox"/> Useful Information?

---

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**PP Tenant**

Position:

Address: 31 Gatesgarth Close

Town: Newby

Postcode: YO12 5PA

Telephone:

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 249

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent?

170

Date Returned:

 Internal reports

249

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs C E Watson**

Position:

Address: 15 Gatesgarth Close

Town: Newby

Postcode:

Telephone:

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 250

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent?

171

Date Returned:

 Internal reports

250

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**D M Wallace**

Telephone: 01723 365459

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 26 Gatesgarth Close

TypeofContact:

 Sent

Town: Newby

Contact Ref: 251

Postcode:

**RESPONSE**

Date of Completion:

 Information Sent?

172

Date Returned:

 Internal reports

251

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - River

Date of Incident 2:

 Source - Sea

Area Affected:

 Source - Rain

No of Properties: 4

 Source - Sewer

Length of Time:

Frequency:

Location: Gatesgarth Close

Flooding Depth:

Incident Ref: 172

Response Ref: 172

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mrs I Tyson**

Telephone: 01723 351164

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 35 Gatesgarth Close

TypeofContact:

 Sent

Town: Newby

Contact Ref: 252

Postcode: YO12 5PA

**RESPONSE**

Date of Completion:

 Information Sent?

173

Date Returned:

 Internal reports

252

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - River

Date of Incident 2:

 Source - Sea

Area Affected: garden

 Source - Rain Source - Sewer

No of Properties:

Length of Time:

Frequency: heavy down pour

Location: 346 Scalby Road

Flooding Depth:

Incident Ref: 173

Response Ref: 173

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr Leslie Arnold**

Position:

Address: 47 Gatesgarth Close

Town: Newby

Postcode: YO12 5PA

Telephone: 01723 365635

Fax:

Email:

DateSent:

TypeofContact:

Contact Ref: 253

 Sent In Error Not Sent Reply Re-sent Sent**RESPONSE**

Date of Completion:

 Information Sent? 174

Date Returned:

 Internal reports 253 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr C Knowles**

Telephone: 01723 365686

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: Newby and Scalby Primary School, The Gr

TypeofContact:

 Sent

Town: Newby

Contact Ref: 254

Postcode:

**RESPONSE**

Date of Completion:

 Information Sent?

175

Date Returned:

 Internal reports

254

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - River

field remains very wet during the winter months but surface water significant by watercourse

Date of Incident 2: winter months 2002

 Source - Sea

Area Affected: school field

 Source - Rain

No of Properties: 1

 Source - Sewer

Length of Time: though winter

Frequency: annually

Location: school field

Flooding Depth: 0.05 meter

Incident Ref: 174

Response Ref: 175

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**David Stephenson**

Telephone: 01723 500136

 Sent In Error

Fax: 01723 500522

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 374 Scalby Road

TypeofContact:

 Sent

Town: Newby

Contact Ref: 255

Postcode: TO12 6ED

**RESPONSE**

Date of Completion:

 Information Sent?

176

Date Returned:

 Internal reports

255

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - River

Date of Incident 2: 10/08/02

 Source - Sea

Area Affected: nursing home, garden and offices

 Source - Rain Source - Sewer

No of Properties: 1

Length of Time: 1 day

Frequency: one off

Location: A171 374 Scalby Road Flooding Depth: 0.9 meter

Incident Ref: 175

Response Ref: 176

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr Michael Groombridge**

Telephone: 01723 378065

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

DateSent:

 Re-sent

TypeofContact:

 Sent

Contact Ref: 256

Position:

Address: 370 Scalby Road

Town: Newby

Postcode: Yo12 6ED

**RESPONSE**

Date of Completion:

 Information Sent?

177

Date Returned:

 Internal reports

256

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

Incident Number:

 Source - River

pipe not large enough under path to deal with excess water

Date of Incident 2:

 Source - Sea

Area Affected: garden and garage

 Source - Rain

No of Properties: several

 Source - Sewer

Length of Time: 4 hrs

Frequency: 3 to 4 times a year

Location:

Flooding Depth: 0.3 meters

Incident Ref: 176

Response Ref: 177



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Ann Jacklin**

Telephone: 01723 500253  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 257

Position:  
 Address: 364 Scalby Road  
 Town: Newby  
 Postcode: YO12 6ED

**RESPONSE**

Date of Completion:  Information Sent? 178  
 Date Returned:  Internal reports 257  
 Flooding?  Press cuttings  
 Flooding from the sea  Duration of flooding  
 Buildings/houses flooded  Photographs  
 Camp sites flooded  Estimated or measured flood levels  
 Roads closed by flooding  Number of properties/persons affected  
 River over-topping its banks  Correspondence with members of the public  
 Blockage of debris/other structures during flood  Videos  
 Overflowing storm drains  Eye witness account  
 Sewer overflow

Other Flooding: Other Records:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number: 1  Source - River watercourse needs a bigger outflow when going under ground  
 Date of Incident 2: summer 2002  Source - Sea  
 Area Affected: garden  Source - Rain  
 Source - Sewer  
 No of Properties: several  
 Length of Time: 1 day Frequency: long periods of rainfall  
 Location: opposite Newby Schoo Flooding Depth:  
 Incident Ref: 177  
 Response Ref: 178

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

back up of water floods gardens

Incident Number: 2  Source - River  
Date of Incident 2: summer 2002  Source - Sea  
Area Affected: gardens  Source - Rain  
 Source - Sewer  
No of Properties: several  
Length of Time: 1 day Frequency: twice in 2 years  
Location: Scalby Road Flooding Depth:  
Incident Ref: 178  
Response Ref: 178

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**W R Ryrton**

Telephone: 01723 371855  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 258

Position:  
 Address: 362 Scalby Road  
 Town: Newby  
 Postcode: YO12 6ED

**RESPONSE**

Date of Completion:  Information Sent? 179  
 Date Returned:  Internal reports 258  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

no buildings were affected

Incident Number: 1  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: gardens and school field  Source - Rain  
 Source - Sewer

No of Properties:  
 Length of Time: Frequency: once or twice a year w  
 Location: Flooding Depth: 0.9 meters  
 Incident Ref: 179  
 Response Ref: 179



**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Halll**

Telephone: 07961415866  Sent In Error  
 Fax: 01723 871801  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 259

Position:  
 Address: 380 Scalby Road  
 Town: Newby  
 Postcode: YO12 6ED

**RESPONSE**

Date of Completion:  Information Sent? 180  
 Date Returned:  Internal reports 259  
 Press cuttings  
 Duration of flooding  
 Photographs  
 Estimated or measured flood levels  
 Number of properties/persons affected  
 Correspondence with members of the public  
 Videos  
 Eye witness account

Flooding?  
 Flooding from the sea  
 Buildings/houses flooded  
 Camp sites flooded  
 Roads closed by flooding  
 River over-topping its banks  
 Blockage of debris/other structures during flood  
 Overflowing storm drains  
 Sewer overflow

Other Flooding:  
 General Comments:

Other Records:  
 To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number: 1  Source - River  
 Date of Incident 2: 2002  Source - Sea  
 Area Affected: houses  Source - Rain  
 Source - Sewer  
 No of Properties: 2-3  
 Length of Time: 3 days Frequency:  
 Location: Hackness road near th Flooding Depth:  
 Incident Ref: 180  
 Response Ref: 180

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**INCIDENT**

Incident Number: 2  Source - River  
Date of Incident 2:  Source - Sea  
Area Affected: playing field  Source - Rain  
 Source - Sewer  
No of Properties:  
Length of Time: 10 days Frequency: heavy rain  
Location: on the corner of Willow Flooding Depth:  
Incident Ref: 181  
Response Ref: 180

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**P & M Jackson**

Telephone: 01723 362051

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

Position:

DateSent:

 Re-sent

Address: 360 Scalby Road

TypeofContact:

 Sent

Town:

Contact Ref: 260

Postcode:

**RESPONSE**

Date of Completion:

 Information Sent?

181

Date Returned:

 Internal reports

260

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments:

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?**INCIDENT**

water overtops bank

Incident Number:

 Source - River

Date of Incident 2: 29/09/03

 Source - Sea

Area Affected: Back garden

 Source - Rain Source - Sewer

No of Properties: 1

Length of Time: part of day

Frequency: once a month

Location:

Flooding Depth:

Incident Ref: 182

Response Ref: 181

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr & mrs D Adams**

Telephone: 07123 377810

 Sent In Error

Fax:

 Not Sent

Email:

 Reply

DateSent:

 Re-sent

TypeofContact:

 Sent

Contact Ref: 261

Position:

Address: 354 Scalby Road

Town: Newby

Postcode: YO12 6ED

**RESPONSE**

Date of Completion:

 Information Sent?

182

Date Returned:

 Internal reports

261

 Flooding? Press cuttings Flooding from the sea Duration of flooding Buildings/houses flooded Photographs Camp sites flooded Estimated or measured flood levels Roads closed by flooding Number of properties/persons affected River over-topping its banks Correspondence with members of the public Blockage of debris/other structures during flood Videos Overflowing storm drains Eye witness account Sewer overflow

Other Flooding:

Other Records:

General Comments: know of flooding but they are on higher ground and so are not affected, but properties either side are.

 To Be Returned? Follow Up Call Required? Map Returned? No Flooding? Useful Information?

**QUESTIONNAIRE RESPONSES:- Newby**

(1 Contact Per Page)

**Mr & Mrs R Sheader**

Telephone: 01723 367348  Sent In Error  
 Fax:  Not Sent  
 Email:  Reply  
 DateSent:  Re-sent  
 TypeofContact:  Sent  
 Contact Ref: 262

Position:  
 Address: 344 Scalby Road  
 Town: Newby  
 Postcode: YO12 6ED

**RESPONSE**

Date of Completion:  Information Sent? 183  
 Date Returned:  Internal reports 262  
 Flooding?  Press cuttings  
 Flooding from the sea  Duration of flooding  
 Buildings/houses flooded  Photographs  
 Camp sites flooded  Estimated or measured flood levels  
 Roads closed by flooding  Number of properties/persons affected  
 River over-topping its banks  Correspondence with members of the public  
 Blockage of debris/other structures during flood  Videos  
 Overflowing storm drains  Eye witness account  
 Sewer overflow

Other Flooding: Other Records:  
 General Comments:  To Be Returned?  Follow Up Call Required?  
 Map Returned?  
 No Flooding?  
 Useful Information?

**INCIDENT**

Incident Number: 1  Source - River  
 Date of Incident 2:  Source - Sea  
 Area Affected: Garden, 344 Scalby Road  Source - Rain  
 Source - Sewer  
 No of Properties: 6+  
 Length of Time: depends on how wet th Frequency: about 6 times a year  
 Location: 344 Scalby Road Flooding Depth: up to 0.3m  
 Incident Ref: 184  
 Response Ref: 183

would have flooded the house if not for a riased patio. Some people furhter up the stream cover the beck - this could be due to increased flooding incident. The water in the beck is rain water coming off Throxenby Lane which is a big hill. Additional houses being built could add to the surface water. The beck is also being polluted by sewage. It is thought that some water from the beck could come from Throxenby Mere, down Lady

